

CUSTOMER : \_\_\_\_\_

DATE: 2025/5/5

## SPECIFICATION

Model: QIW-45A2

Color: White ☒ Black ☐

Product: FAST CHARGER

Spec No: A5-006

Version: A1

Type: Wall Mount (Australia)

AC Plug: Fixed Plug

Input: 100-240V~50/60Hz 1.5A Max

Output: PD+PPS (45W Max)

USB Ports: USB-C1+USB-C2


Receiver's stamp or signature

PLEASE APPROVE & RETURN BEFORE: 2025/5/20

OR WE WOULD REGARD IT BEEN CONFIRMED.

RESPONSIBLE	APPROVED	ISSUED
Thomas	Aiwei	Anni

ISSUES STAMP



### Revised History

No.	Revised Date	Description	Approved	Issued

QIW Industrial Co.,Ltd.

#### CHINA:

Http://www.qiw.com

E-Mail: qiw@qiw.com

TEL : +86-755-8980 9888

FAX : +86-755-8983 7166

#### HONG KONG:

Http://www.qiw.com.cn

E-Mail: qiw@qiw.com.cn


TEL : +852-6952 9522

FAX : +852-3171 2350



PRODUCT	FAST CHARGER	SHEET NO.	1 OF 4
		VERSION:	A1
MODEL NO.	QIW-45A2	SPEC NO.	A5-006

- 1.INPUT REQUIREMENT
- 2.OUTPUT SPECIFICATION
- 3.MECHANICAL
- 4.RELIABILITY
- 5.ENVIRONMENT
- 6.OUTLOOKING
- 7.SAFETY
- 8.QC CHECK
- 9.DIMENSION
- 10.LABEL
- 11.PACKING

	PRODUCT	FAST CHARGER	SHEET NO.	2 OF 4
	MODEL NO.	QIW-45A2	VERSION:	A1
			SPEC NO.	A5-006

1.INPUT REQUIREMENT

ITEM	SPECIFCATION	MIN	TYP.	MAX
NORMAL AC INPUT VOLTAGE	SINGLE PHASE	100Vac	110Vac/220Vac	240Vac
AC INPUT VOLTAGE RANGE	SINGLE PHASE	90Vac	110Vac/220Vac	264Vac
AC INPUT FREQUENCY	SINGLE PHASE	47Hz	50/60Hz	63Hz
AC INPUT CURRENT	TYPICAL INPUT VOLTAGE& OUTPUT AT FULL LOAD.			1.5A
NO LOAD POWER	AT 115VAC/230VAC			0.21W
EFFICIENCY	TYPICAL INPUT VOLTAGE& OUTPUT AT FULL LOAD	86%		

2.OUTPUT SPECIFICATION  
VOLTAGE OUTPUT CHARACTERISTICS OF EACH PORT


USB PORTS	OUTPUT	LOAD CONDITION		Load Regulation	Line Regulation	OCP
		Minimum Load	Nominal Load			
USB-C1	5V	0A	3.0A	±5%	±5%	105%-135%
	9V	0A	3.0A	±5%	±5%	105%-135%
	12V	0A	3.0A	±5%	±5%	105%-135%
	15V	0A	3.0A	±5%	±5%	105%-135%
	20V	0A	2.25A	±5%	±5%	105%-135%
USB-C2	5V	0A	3.0A	±5%	±5%	105%-135%
	9V	0A	3.0A	±5%	±5%	105%-135%
	12V	0A	3.0A	±5%	±5%	105%-135%
	15V	0A	3.0A	±5%	±5%	105%-135%
	20V	0A	2.25A	±5%	±5%	105%-135%


Note: If the output current exceeds 3A, the E-MARK chip needs to be included in the output Type-C line, otherwise only 3A can be output

COMBINED OUTPUT  
USB-C1+USB-C2

USB-C1	USB-C2	TOTAL (Max)
45W	--	45W
--	45W	45W
25W	20W	45W

PPS: 5.0-11.0V==4.05A or 5.0-21.0V==2.25A(47.25W Max)

	PRODUCT	FAST CHARGER	SHEET NO.	3 OF 4
	MODEL NO.	QIW-45A2	VERSION:	A1
			SPEC NO.	A5-006
3.MECHANICAL				
ITEM	SPECIFICATION OR TEST CONDITION		ACCEPTANCE CRITERIA	
BENDING TEST	NORMAL TEMPERATURE  THE CORD SHALL WITHSTAND WEIGHT OF 200g, SWINGING FROM LEFT TO RIGHT AT AN ANGLE OF 60 DEG. 1000CYCLE TIMES MIN.  S/R SHALL WITHSTAND WEIGHT OF 1N. SWINGING FROM LEFT TO RIGHT AT AN ANGLE OF 60DEG. 1000CYCLE TIMES MIN.  BENDING SPEED 40CYCLE/MINUTE		NO SHORT CIRCUIT  NO BREAKAGE OF THE CORD	
VIBRATION	FREQUENCY RANGE:10~55Hz  AMPLITUDE:1.5mm  ACCELERATION: 1G  SWEEP 1 MINUTE FOR X,Y,Z,AXIS EACH		THERE SHALL BENO  ABNORMALITY ON THE  APPEARNCE STRUCTURE  AND OPERATING	
4.RELIABILITY				
ITEM	TEST CONDITION		ACCEPTANCE CRITERIA	
TEMPERATURE UP WITH	TEST AT SURFACE OF THE CASE WITH TYPICAL		TEMPERATURE UP UNDER	
TYPICAL LOAD	AC INPUT AND TYPICAL LOAD IN OUTPUT		35 DEGREES	
	50/60Hz			
HI-POT TEST	INPUT TO OUTPUT GRADUALLY RAISED FROM 0 TO THE 3000Vac AND HELD AT THAT VALUE FOR 3S,5mA		NO DAMAGE	
MTBF	TYPICAL INPUT&FULL LOAD , 25℃		30000 HOURS	
LIFE	TYPICAL INPUT&FULL LOAD, 25℃		1YEARS ABOVE	
BURN-IN	AT 25℃(±10℃),NORMAL INPUT VOLTAGE		2 HOURS	
5.ENVIRONMENT				
ITEM	SPECIFICATION OR TEST CONDITION	min.	typ.	max.
OPERATING TEMPERATURE		0℃		25℃
STORAGE TEMPERATURE		-20℃		70℃
OPERATING HUMIDITY	NON-CONDENSING	5%RH		90%RH
STORAGE HUMIDITY	NON-CONDENSING	5%RH		90%RH

	PRODUCT	FAST CHARGER	SHEET NO.	4 OF 4
			VERSION:	A1
	MODEL NO.	QIW-45A2	SPEC NO.	A5-006

## 6.OUTLOOKING

DIMENSION

:54.8(L)X64.3(W)X28.7(H)mm

WEIGHT

:ABOUT 120g

AC INPUT TYPE

:Australia with Fixed Plug

DC OUTPUT TYPE

:USB-C1+USB-C2

DC OUTPUT CABLE

:N/A

INDICATION

:LABEL

CASE MATERIAL

:94V-0 ABS+PC

PCB MATERIAL

:94V-0

## 7.SAFETY

COMPLY SAFETY STANDARDS	STANDARD	FILE NO.
RCM	AS/NZS 62368.1:2022	GMA-522234-EA

EMI
CE FCC


## 8.QC CHECK

ALL OF THE QUANTITY SHALL BE CHECKED BEFORE SHIPMENT,CHECK ITEM AS BELOW:

- (1)USB PORT CHECK
- (2)OCP FUNCTION CHECK
- (3)DC OUTPUT VOLTAGE CHECK
- (4)HI-POT&INSULATION CHECK
- (5)OUTLOOKING CHECK


9.DIMENSION

Model: QIW-45A2



TOLERANCE					FINISH		XXXXXX		QIW® 奇旺 www.qiw.com	
L44	±0.05	±0.08	±0.1	±0.2	MATERIAL	XXX	REV.	A1	NAME	DIMENSION
44<L20	±0.05	±0.1	±0.2	±0.3						
20<L50	±0.1	±0.3	±0.3	±0.4						
50<L200	±0.15	±0.25	±0.3	±0.6						
200<L	±0.2	±0.4	±0.5	±0.8						
DEC.	CHKD.	APPL.								
SCALE					UNIT		mm		QIW Industrial Co., Ltd. 深圳市奇旺实业有限公司	
/					REF.		XXXX			
jmh					DWG NO.		XXXX			

10.LABEL (LASER)



QIW®奇旺


USB-C2

USB-C1


DATE CODE: (WWYY WW=WEEK,YY=YEAR)

TOLERANCE					FINISH					NAME:	LABEL
L≤4	0.05	0.08	0.1	0.2							
4<L≤20	0.08	0.1	0.2	0.3	MATERIAL				QTY.		
20<L≤50	0.1	0.15	0.3	0.4							
50<L≤200	0.15	0.25	0.4	0.6							
200<L	0.2	0.4	0.5	0.8							
DEG.	CHKD.	APPD.	SCALE /		UNIT	mm			REV	A1	
Anni	Aiwei	Thomas			REF.						
					REM.						
								RART NO	A5-006		


11.PACKING





注:PE袋和汽泡袋不要用胶纸固定



小白盒 500g  
外徑寸法 長X寬X高  
60×40×65  
TOLERANCE:±1  
一个小白盒内放一个产品



外箱:(K=K)  
成品100PCS 放入  
外徑寸法 長X寬X高  
320X220X300  
TOLERANCE:±3

TOLERANCE					FINISH				NAME	PACKING
L ≤ 4	±0.05	±0.08	±0.1	±0.2						
4 < L ≤ 20	±0.08	±0.1	±0.2	±0.3	MATERIAL		REV.	A1		
20 < L ≤ 50	±0.1	±0.15	±0.3	±0.4						
50 < L ≤ 200	±0.15	±0.25	±0.4	±0.6						
200 < L	±0.2	±0.4	±0.5	±0.8						
DEG.	CHKD.	APPD.		UNIT	mm					
Anni			SCALE	REF.				PART NO.		
				DWG NO.						



# THE RCM LETTER OF AUTHORISATION

(For the RCM Compliance under ACMA )


-Australian Communications and Media Authority

14 Mar. 2025

**Certificate No.:** RCM251006589R

**To:** QIW Industrial Co., Ltd.

**Address:** B1001, No.15-3, Tantou 1st Village, Songgang Town, Baoan District, Shenzhen, 518105  
Guangdong, P.R. China

Product	Model	Trademark/Brand	Compliance Marking Under ACMA
FAST CHARGER	QIW-65yz, QIW-45yz series	QIW	 Approval No. GMA-522234-EA

This letter authorises the above supplier, to label the product(s) listed above, with the RCM (**Regulatory Compliance Mark**) as shown above, subject to the following conditions:

1. This is to confirm that product(s) listed, comply with ACMA mandated standards and the labelling notice under ACMA arrangement. To mark RCM on this product, it is necessary that the supplier should also hold and maintain an Australian Electrical Safety Certificate and/or conduct EESS registration.
2. The units supplied are identical to those described in the compliance folder held by Compliance Tick Pty Ltd. The supplier(s) agree(s) to abide by the terms and conditions as detailed on the service agreement.
3. Compliance Tick Pty Ltd will hold this compliance folder for at least 5 years.
4. Any modification to the listed product(s) voids this authorisation.
5. This authorisation pertains only to the product(s) listed above.
6. The labelling and supply of the product with the RCM (Regulatory Compliance Mark) is agreed with the above conditions.



**On behalf of Compliance Tick Pty Ltd**

# Supplier's declaration of conformity



This is the Australian Communications and Media Authority (ACMA) approved form for a declaration of conformity under the following legislative instruments:

- > Radiocommunications Equipment (General) Rules 2021
- > Radiocommunications Labelling (Electromagnetic Compatibility) Notice 2017.

This is a sample form for a declaration of conformity under the Telecommunications (Labelling Notice for Customer Equipment and Customer Cabling) Instrument 2015.

## Instructions for completion

**Do not return this form to the ACMA.** This completed form must be retained by the supplier as part of the documentation required for the compliance records. However, it must be made available for inspection by the ACMA when requested.

## Supplier's details (manufacturer, importer/Applicant)

Company name (or individual)

QIW Industrial Co., Ltd.
Trading as

ACN/ARBN

N/A

Street address

B1001, No.15-3, Tantou 1st Village, Songgang Town, Baoan District,
Shenzhen, Guangdong, P.R. China
POSTCODE 518105

or

New Zealand IRDN

N/A

## Australia authorised agent, representative

Company name (or individual)

COMPLIANCE TICK PTY LTD
Trading as

ACN/ARBN

12 625 564 909

or

New Zealand IRDN

N/A

Street address (Australia or New Zealand)

Se 3, L2 377-383, SUSSEX ST
SYDNEY NSW
POSTCODE 2000

## Product details and date of manufacture

Product description – brand name, type, current model, lot, batch or serial number (if available), software/firmware version (if applicable)

Product: FAST CHARGER
Brand Name: QIW
Model No. QIW-65yz, QIW-45yz Series
Date of manufacture or importation of the original/modified item 03/2025

## Compliance – applicable standards and other supporting documents

Evidence of compliance with applicable standards may be demonstrated by test reports, endorsed/ accredited test reports, certification/competent body statements.

Having had regard to these documents, I am satisfied the above-mentioned product complies with the requirements of the relevant ACMA standards made under the *Radiocommunications Act 1992* and/or the *Telecommunications Act 1997*.

List these documents including details of the standard title, number and, if applicable, number of the test report/endorsed test report or certification/competent body statement.

EN 55032:2015+A11:2020+A1:2020, EN 55035:2017+A11:2020, EN IEC 61000-3-2:2019+A1:2021+A2:2024, EN 61000-3-3:2013+A1:2019+A2:2021
Test report: LP24060229C01-02
Tested by Dongguan Lepont Testing Service Co., Ltd


## Declaration

I hereby declare that:

1. I am authorised to make this declaration on behalf of the Company mentioned above
2. the contents of this form are true and correct
3. the product mentioned above complies with the applicable above mentioned standards and all products supplied under this declaration will be identical to the product identified above
4. I understand that giving false or misleading information is a serious offence.

**Note:** It is an offence to knowingly provide false or misleading information to a Commonwealth entity or a person who is exercising powers, performing functions under, or in connection with, a law of the Commonwealth. It is an offence to knowingly provide false or misleading information or documents in compliance or purported compliance with a law of the Commonwealth. (See sections 137.1 and 137.2 of the *Criminal Code Act 1995*.)

Penalty: 12 months imprisonment

 SIGNATURE OF SUPPLIER OR AGENT	Acting Manager POSITION IN ORGANISATION
Dominic Ng on behalf of Compliance Tick Pty Ltd	DATE 14/03/2025

The *Privacy Act 1988* (Cth) (the Privacy Act) imposes obligations on the ACMA in relation to the collection, security, quality, access, use and disclosure of personal information. These obligations are detailed in the Australian Privacy Principles.

The ACMA may only collect personal information if it is reasonably necessary for, or directly related to, one or more of the ACMA's functions or activities.

The purpose of collecting the personal information in this form is to ensure the supplier is identified in the 'declaration of conformity'. If this declaration of conformity is not completed and the requested information is not provided, a compliance label cannot be applied.

Further information on the Privacy Act and the ACMA's privacy policy is available at [www.acma.gov.au/privacypolicy](http://www.acma.gov.au/privacypolicy). The privacy policy contains details about how you may access personal information about you that is held by the ACMA, and seek the correction of such information. It also explains how you may complain about a breach of the Privacy Act and how we will deal with such a complaint.

Should you have any questions in this regard, please contact the ACMA's privacy contact officer on telephone on 1800 226 667 or by email at [privacy@acma.gov.au](mailto:privacy@acma.gov.au).



global-mark®

# Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	QIW Industrial Co., Ltd.			Other Name	
Address	B1001, No.15-3, Tantou 1st Village, Songgang Town, Baoan District, Shenzhen Guangdong 518105 China				
Client ID	110943	Global-Mark File Number:	110943-001	System 1 Approval	
Certificate Number & Approval Mark	GMA-522234-EA	Revision Number	00		
Certification Standard(s)	AS/NZS 62368.1:2022 Audio/video, information and communication technology equipment - Safety requirements				
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme		

## CERTIFICATE DATES

Certificate Issue Date	13/03/2025
Certificate Last Update Date	
Certification Expiry Date	13/03/2030

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



Certification Manager

*Henri Hobbs*

Page 1 of 6

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ



[WWW.JAS-ANZ.ORG/REGISTER](http://WWW.JAS-ANZ.ORG/REGISTER)



# Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	FAST CHARGER	QIW	QIW-45D1	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,2.25A PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-45D2	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,2.25A USB-C1+USB-C2: 25.0W+20.0W(45.0W); PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-45D3	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C1+USB-C2: 25.0W+20.0W(45.0W) ; USB-C1+USB-A: 25.0W+18.0W(43.0W) ; USB-C2+USB-A: 5.0Vdc,3.0A(15.0W) ; USB-C1+(USB-C2+USB-A):25.0W+(5.0Vdc,3.0A) (40.0W) PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-45D4	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,2.25A USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C+USB-A: 25.0W+18.0W(43.0W) ; PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**



# Certificate of Conformity

Power Supply or Charger	FAST CHARGER	QIW	QIW-45A1	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,2.25A PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-45A2	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,2.25A USB-C1+USB-C2: 25.0W+20.0W(45.0W); PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-45A3	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C1+USB-C2: 25.0W+20.0W(45.0W) ; USB-C1+USB-A: 25.0W+18.0W(43.0W) ; USB-C2+USB-A: 5.0Vdc,3.0A(15.0W) ; USB-C1+(USB-C2+USB-A):25.0W+(5.0Vdc,3.0A) (40.0W) PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-45A4	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,2.25A USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C+USB-A: 25.0W+18.0W(43.0W) ; PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,2.25A (47.25W Max)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**

Page 3 of 6



# Certificate of Conformity

Power Supply or Charger	FAST CHARGER	QIW	QIW-65D1	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-65D2	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) USB-C1+USB-C2: 45.0W+20.0W(65.0W); PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-65D3	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C1+USB-C2: 45.0W+20.0W(65.0W) ; USB-C1+USB-A: 45.0W+18.0W(63.0W) ; USB-C2+USB-A:5.0Vdc,3.0A(15.0W) ; USB-C1+(USB-C2+USB-A):45.0W+(5.0Vdc,3.0A) (60.0W) PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**



Page 4 of 6

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

# Certificate of Conformity

Power Supply or Charger	FAST CHARGER	QIW	QIW-65D4	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C+USB-A: 45.0W+18.0W(63.0W) ; PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-65A1	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) PPS:5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-65A2	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) USB-C1+USB-C2: 45.0W+20.0W(65.0W); PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**

Page 5 of 6

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



# Certificate of Conformity

Power Supply or Charger	FAST CHARGER	QIW	QIW-65A3	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C1/C2: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C1+USB-C2: 45.0W+20.0W(65.0W) ; USB-C1+USB-A: 45.0W+18.0W(63.0W) ; USB-C2+USB-A: 5.0Vdc,3.0A(15.0W) ; USB-C1+(USB-C2+USB-A):45.0W+(5.0Vdc,3.0A) (60.0W) PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)
Power Supply or Charger	FAST CHARGER	QIW	QIW-65A4	Input:100-240v~,50/60Hz,1.5A Max Output:USB-C: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,3.0A ; 15.0Vdc,3.0A ; 20.0Vdc,3.25A (65.0W Max) USB-A: 5.0Vdc,3.0A ; 9.0Vdc,3.0A ; 12.0Vdc,2.5A ; 15.0Vdc,2.0A ; 20.0Vdc,1.5A (30.0W Max) ; USB-C+USB-A: 45.0W+18.0W(63.0W) ; PPS: 5.0-11.0Vdc,4.05A or 5.0-21.0Vdc,3.0A (63.0W Max)

## RELEVANT TRADEMARK (S)

## COMMENTS OR CONDITIONS ON THE CERTIFICATION

2025/03/13 Initial Certification  
 - plug portion complies with AS/NZS 3112:2017 + A1  
 - for use with AV/IT equipment

**End of document**

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jasanz.org/register](http://www.jasanz.org/register) for verification.



**Certification Manager**

Page 6 of 6

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Search

Select what you want to search for below:

- ☒ Certificates
- ☐ Equipment Registrations
- ☐ Responsible Supplier

> Certificates

Certificate Number ?  
GMA-522234-EA

Model ?

Trade Name ?

Certificate Applicant Company (Business Name)

Certificate Applicant Company (Trading Name)

Certifier

Certificate Status  
Select... ▼

Expiry Date From  

Calendar icon

Expiry Date To  

Calendar icon

Equipment Class  
Select ▼

Equipment Type (Level 2/3 Equipment)  
Select ▼

Equipment Type (Level 1/Not In-Scope Equipment)  
Please type in Equipment Type

Equipment Generic Name

Search

Clear

Group

Fields

Refresh

Certificate number	Status	Certification Applicant Company	Equipment level	Equipment type	Generic Name	Expiry date	Certifier
GMA-522234-EA	Approved	QIW Industrial Co., Ltd.	Level 3	Power supply or charger		13/03/2030	Glo



GMA-522234-EA



View Certificate

Certification Status	Approved
Expiry date	13/03/2030
Applicant	QIW Industrial Co., Ltd.
Certificate no.	GMA-522234-EA
Equipment class	Level 3
Equipment type	Power supply or charger

Certificate no. GMA-522234-EA

Global Mark Australia

Certificate of Conformity Details

This is not the actual certificate issued by Global Mark Australia. For the actual certificate contact Global Mark Australia.

Certificate holder business name	Date first issued
QIW Industrial Co., Ltd.	13/03/2025
Certificate holder trade name	Date of expiry
QIW Industrial Co., Ltd.	13/03/2030
Equipment level	Conditions of certification
Level 3	2025/03/13 Initial Certification
Equipment class	- plug portion complies with AS/NZS 3112:2017 + A1
Power supply or charger	- for use with AV/IT equipment
Equipment sub-class	
--	
Generic name of equipment	
--	

- Regulatory details
- Equipment

EESS required marking



Relevant standards

AS/NZS 62368.1 2022

Compliant to Australia and New Zealand standards

\* Electrical equipment covered by this certificate must comply in all respects with the certified article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Equipment Number ?

Model ?

Trade Name ?

Certificate Number ?

GMA-522234-EA

Equipment Class

Equipment Type (Level 2/3 Equipment)

Equipment Type (Level 1/Not In-Scope Equipment)

Status

Select

Select

Select

Supplier Number

Business Name

Trading Name

Generic Name

Search

Clear

Group

Fields

Refresh

Equipment Number	Equipment Type	Generic Name	Equipment Profile	Expiry Date	Status	Equipment Class	Trading Name
E2025004019	Power supply or charger			13/03/2030	Registered	Level 3	



Filters

↑

Certificate Holder

GMA-522234-EA

i

Organisation Name

i

Certificate Holder

i

Suburb / City

i

Country

i

Certification Details

Accredited Body

i

Type of certification

i

ISIC Code

i

Certification

Scheme

i

Standard

i

Certification Description

i

→ SEARCH

→ RESET

We have found 1 certifications

Certificate ID	Certified By	Organisation Name	Scope	Suburb/ City	Country	Status
GMA-522234-EA	Global-Mark Pty Ltd	<a href="#">QIW Industrial Co., Ltd.</a>	EPSCS-GM:AS/NZS 62368.1:2022	Shenzhen	China	Active
<div>Details</div>				<div>Scope</div>		
Type of Certification	Product Certification					
Status	Active					
Organisation Name	QIW Industrial Co., Ltd.					
Suburb / City	Shenzhen					
Country	China					
Certification Description	Product Certification, refer to product listing					
Current Certification Date	13/03/2025					
Certification Expiry Date	13/03/2030					

